



# ACTA GEOLOGICA SINICA (English Edition)

Journal of the Geological Society of China



CHEN Xinyu et al., 2017. First Eggs of Fossil Bristletails (Meinertellidae: Microcoryphia) from Burmese Amber. 91(4): 1489-1490.

V01.91 NO.4 2017

ISSN 1000-9515

## CONTENTS

New Editor-in-Chief Professor Degan SHU, Message from the Editor-in-Chief, Introduction to Associate Editors-in-Chief, List of members of the Editorial Board	I-VIII
<b>ORIGINAL ARTICLES</b>	
New Evidence of Sauropod Dinosaurs from the Early Jurassic Period of Thailand LAOJUMPON Chalida, SUTEETHORN Varavudh, CHANTHASIT Phornphen, LAUPRASERT Komsorn and SUTEETHORN Suravech	1169
<i>Aptenium sanzhuense</i> sp. nov.: the Lowest Latitude Fossil Record of the Genus XU Kewang, LIAO Wenbo, JIN Jianhua and LIU Xiaoyan	1179
Late Miocene Pods and Leaves of <i>Albizia</i> (Leguminosae: Mimosoideae) from Yunnan, SW China and Their Phytogeographic Implications LI Binke, XIE Saoping, ZHANG Sihang, CHEN Tianqi and SHAO Yang	1190
A New Species of <i>Cupressinocladus</i> from the Lower Cretaceous of Guyang Basin, Inner Mongolia, China and Cluster Analysis JIN Peshong, MAO Teng, DONG Junling, WANG Zexi, SUN Mingshan, XU Xiaohui, DU Baoxia and SUN Jiamin	1200
Macrobioerosion and Microbioerosion in Marine Molluscan Shells from Holocene and Modern Beaches (39°–40° S, South of Buenos Aires Province, Argentina) Melisa P. CHARO, Jose L. CAVALLOTTO and Guillermo ACEÑOLAZA	1215
Neoproterozoic-Paleozoic Tectonic Evolution of the Northeastern Tarim Block: Constraints from <sup>40</sup> Ar/ <sup>39</sup> Ar Geochronology in the Kuloketage Area, NW China ZHANG Zhong, ZHU Weibin, ZHENG Dewen, ZHENG Bihai, XIAO Weimin, LI Daming and HAN Chunming	1231
Petrogenesis of the Late Cretaceous Tholeiitic Volcanism and Oceanic Island Arc Affinity of the Chagai Arc, Western Pakistan Rehamil Haq SIDDIQUI, M. Qasim JAN, Mohamud Ali KHAN, M. Ishaq KAKAR and John D. FODEN	1248
Wedge-Shaped Pop-Up Structure in the Eslami Peninsula, Lake Urmia, Northwestern Iran Akram ALIZADER and Fayeze JANGJOO	1264
The Crystal Structure of Lisiguangite YU Zuxiang and WANG Hanggen	1270
Oxidation and Mineralization of Mn <sup>2+</sup> Ions Mediated by <i>Pseudomonas putida</i> : Insights from an Experimental Study CHEN Xiaoye, LU Xiancai, LIU Huan, LI Juan, XIANG Wanli, ZHANG Rui and LU Jianjun	1276
Zircon U-Pb Geochronology and Geochemistry of the Early Cretaceous Volcanic Rocks from the Manitu Formation in the Hongol Area, Northeastern Inner Mongolia ZHANG Xiangxin, SU Zhen and GAO Yongfeng	1286
Metallogenic Epoch of Nonferrous Metallic and Silver Deposits in the Jiaodong Peninsula, China and its Geological Significance SANG Mingchun, WANG Shanshan, YANG Lixin, LI Jie, LI Shiyong and DING Zhengjiang	1305
Mineralogy, Chemical Characteristics and Upgrading of Beach Ilmenite of the Top Meter of Black Sand Deposits of the Kafr Al-Sheikh Governorate, Northern Egypt Abdel-Aal M. ABDEL-KARIM, Mohamed I. MOUSTAFA, Adel H. El-AFANDY and Mohamed G. BARAKAT	1326
The Identification and Modeling of the Volcanic Weathering Crust in the Yingcheng Formation of the Xujiaweizi Fault Depression, Songliao Basin LIU Cai, CHI Huanzhuo, SHAN Xuanlong and HAO Guoli	1339
Restoration of Eroded Thickness of the Neogene Strata in the Western Qaidam Basin and Its Significance for Oil and Gas Occurrence SUN Ping, GUO Zeqing, HE Wenyuan and LIU Weihong	1352
Genesis of Dolomite from Ma5 <sup>2</sup> -Ma5 <sup>1b</sup> Sub-members of the Ordovician Majiagou Formation in the Jingxi Area in the Ordos Basin LIU Jingdong, JIANG Youlu, LIU Xinshe, YANG Zhiwei, HOU Xiangdong, ZHU Rongwei, WEN Caixia and WANG Feiyun	1363

(See cover 3)

Supervised by: China Association for Science and Technology

Sponsored by: Geological Society of China

Online Submission: <http://www.geojournals.cn/dx/bcn/> (for Chinese manuscript); <http://mc.manuscriptcentral.com/ags> (for English manuscript)

ISSN 1000-9515



9 771000 951173

ISSN 1000-9515

CN 11-2001/P

Aug. 2017

Combination of N <sub>2</sub> and CO <sub>2</sub> Adsorption to Characterize Nanopore Structure of Organic-Rich Lower Silurian Shale in the Upper Yangtze Platform, South China: Implications for Shale Gas Sorption Capacity .....	CHEN Lei, JIANG Zhenxue, LIU Keyu, GAO Fenglin and WANG Pengfei	1380
Digitized Outcrop Geomodeling of Ramp Shoals and its Reservoirs: as an Example of Lower Triassic Feixianguan Formation of Eastern Sichuan Basin .....	QIAO Zhanfeng, SHEN Anjiang, ZHENG Jianfeng, Xavier JANSON, CHANG Shaoying, WANG Xiaofang, CHEN Yana and LIAO Yisha	1395
Temporal and Spatial Distribution of the Late Devonian (Famennian) Strata in the Northwestern Border of the Junggar Basin, Xinjiang, Northwestern China .....	MA Xueping, ZHANG Meiqiong, ZONG Pu, ZHANG Yubo and LÜ Dan	1413
New Data on the Age of the Yukiang (Yujiang) Formation at Linjing, Guangxi, South China .....	LU Jianfeng, QIE Wenkun, YU Changmin and CHEN Xiuqin	1438
White Events Recorded in Deep-sea Core IR-GC1 off Western Sumatra: Evidence from Grain-size Distribution .....	QIU Zhongyan, HAN Xiqu and WANG Yejian	1448

#### REVIEWS

The Distribution of Petroleum Resources and Characteristics of Main Petroliferous Basins along the Silk Road Economic Belt and the 21st-Century Maritime Silk Road .....	HAO Qingqing, ZUO Yinshui, LI Lintao, CHEN Weijun, YI Junjie and WU Jie	1457
--	---	------

#### NEWS AND HIGHLIGHTS

Large Dinosaur Assemblage has been Discovered in Pu'an, Yuyang County, Chongqing, China .....	HAO Ziguao, FEI Hongcai, MAO Jingwen and LIU Lian	1487
---	---	------

#### RESEARCH ADVANCES

First Eggs of Fossil Bristletails (Meinertellidae: Microscoryphia) from Burmese Amber .....	CHEN Xinyu and SU Guifen	1489
Defining the Age of the Cenozoic Shanwang Formation in Shanwang Basin .....	YU Jifeng, ZHAO Xiangguang, PANG Xinlong, JASON Hilton, FU Weijiao, ZHAO Xiuli, SONG Zhaojun, HU Jialiang, LU Lei, ZHANG Hongjun, YANG Ziqun, QIAO Weiyao and SHI Suo	1491
Discovery of Lorandite TiASS <sub>2</sub> at the Distal Au-Ti Deposit in a Skarn system, Fushan Area, Middle-Lower Yangtze River, Eastern China .....	XIE Guiqing, MAO Jingwen, MAO Yingxiao, JIAN Wei and HAN Jingyi	1493
Discovery of ~3.1 Ga Basement in the Bohai Bay Basin .....	MENG Fanchao, CUI Yan, CAO Yimeng, QI Longwei, WEI Jiayi, QU Zhijing, LIU Jiaqi	1495
Discovery of the 1.8 Ga Granite on the Western Margin of the Songpan Massif, China .....	ZHANG Qiao, WU Kaiwei, GUO Wei, ZHANG Yujin and QUAN Jingyu	1497
Chronology of the Guyang Granite-Greenstone Terrane and the Implications for Continental Crust Growth .....	MA Xudong and ZHONG Yan	1499
New Petrological and Sedimentary Evidences on the Late Cretaceous Uplift of the Tibetan Plateau .....	WANG Xiaonan, LI Yalin, DU Lintao, HE Haiyang and LI Yubai	1501
The Early Breakup of Rodinia Supercontinent in the Northeastern Margin of the Yangtze Plate: New Evidence from SIMS Zircon Ages of the Granitic Gneiss from the Chaolian Island, Shandong Peninsula .....	LIAO Jing, YUE Baojing, DING Xue, ZHANG He and YIN Xuebo	1503
Widespread Methane Seep Activities along the Western Slope of the Okinawa Trough, East China Sea .....	LI Qian, CAI Feng, YAN Guijing, LIANG Jie, SHAO Hebin, WANG Meng, DONG Gang, WANG Feng, SUN Yunbao and LUO Di	1505
New Progress of Oil and Gas Research in the Tonghua Area, East of the Songliao Basin .....	WANG Dandan, ZHOU Xingui, LI Shizhen, ZHANG Wenhao, LIU Weibin, DONG Qingshui and MENG Yuanlin	1507
New Discovery on Superficial CO <sub>2</sub> -H <sub>2</sub> O Treated Coal: Pore Structure and Methane Adsorption .....	CHEN Run, WANG Youyang, QIN Yong, WANG Linlin, WEI Chongtao and ZHANG Pengfei	1509
Influence of Drilling Fluid Components on Shear Strength at Cement-aquifuge Interface in Coalbed Methane Wells .....	GU Jun, WANG Shuai, MA Chao, GAN Pin and TANG Naiqian	1511
Amplitude Non-Sensitive Stratall Dispersion Shadow for Dim Spot Reservoir Delineation .....	ZHONG Wenli, CHEN Xuehua, LUO Xin, JIANG Wei and YANG Wei	1513
The Age of the Old Transgression Sequence in the Pearl River Delta, China .....	YU Zhangxin, ZHANG Ke, LI Xiaoyang, LIANG Hao and LI Zhongyuan	1515
Localizing the Landform Types and Morphologic Features of Lunar Surface .....	CHENG Weiming	1517
<i>Acta Geologica Sinica</i> (English Edition) Calls For Open-dated Submission of Paleontological Papers .....		1519
<i>Acta Geologica Sinica</i> (English Edition) Calls For Submission of Review Papers .....		1520
Introduction to <i>Geological Periodical Network of China</i> .....		1521

## Research Advances

## First Eggs of Fossil Bristletails (Meinertellidae: Microcoryphia) from Burmese Amber

CHEN Xinyu and SU Guifen\*

Cores and Samples Center of Land &amp; Resources (CSCLR), Sanhe 065201, Hebei, China

## Objective

Fossil microcoryphids are scarce. Silverstri (1912) described two genera and eight species of Machilidae or Machiloidae incertae sedis from Baltic amber (35–40 Myr). In Cretaceous Myanmar amber (burmite: ~99 Myr) one preserved Machilidae plus five undetermined specimens were reported but with no details by Grimaldi et al. (2002). In Dominican amber (20–25 Myr) only *Neomachillellus* (*Praeomachillellus*) *dominicanus* (Sturm & Poinar 1997; Meinertellidae) has been found. Mendes (2013) considered that one undetermined Microcoryphia specimen preserved in burmite belonged to the genus *Macropsontus*, but did not provide enough argumentation.

## Results

## Systematic paleontology

Family: Meinertellidae Verhoeff, 1910

Genus: *Cretaceobrevibusantennis* gen. nov.

*Derivation of name.* The first part of the name alludes to the Cretaceous period and to the Latin “crista” (chalk); “brevibusantennis” is Latin meaning ‘short antennae’ in English.

*Type species.* *Cretaceobrevibusantennis hookensis*, sp. nov.

*Diagnosis.* The main reasons for placing the fossil into the family are the absence of scales on scapus, pedicellus and flagellum (a major feature of extant meinertellidae) and the presence of a characteristic hook near the distal end of article 2 of the male maxillary palp. Compare this genera with Cretaceous Meinertellidae *Cretaceomachilis* Sturm & Poinar, 1998, whose holotype (*Cretaceomachilis libanensis* Sturm & Poinar, 1998) was preserve in the Lebanese amber (Lower Cretaceous, 120–135 Myr), the short antennae with sloping setae have not been found in the latter genera.

*Cretaceobrevibusantennis hookensis*, sp. nov.

*Derivation of name.* The species-name refers to the

presence of a characteristic hook near the distal end of article 2 of the male and female maxillary palp.

*Material.* Holotype CSCLRCAB1000001, ♀ (Fig. 1a, a, d); paratype CSCLRCAB100002001, ♂ (Fig. 1a, b, c); housed in (CSCLR), Sanhe, China. Late Albian, Burmese amber, Myanmar.

*Diagnosis.* As for the genus.

*Description.* Both the holotype and the paratype are complete.

Head: Compound eyes large, touching at the median plane. Length of antennae 1.0 mm, without scales; each article with several declining setae, its length about 2x longer than article. Maxillary palp with 4 proximal articles preserved; article 1 with triangular process; hook on article 2 clearly protruding; article 3 of labial palps not distinctly broaden, with sensory rods.

Thorax: Not humped; all legs devoid of coxal stylets with some very long setae, spiniform setae on the lateral margins of the tergites visible; taris simple, clealy with only two articles.

Abdomen: The abdominal vesicles not visible. I-II each with pair of abdominal stylets. VIII-IX each with pair of abdominal stylets of paratype, terminal spines of stylets short.

Penis: Distinctly shorter than 0.5 length of coxites IX; aperture large, subapical to ventral, without setae.

Caudal: Length of coxite 3.25 mm; length of the cerci/length of body=0.81, length of the cerci/length of coxites IX=2.0.

*Cretaceobrevibusantennis thornis*, sp. nov.

*Derivation of name.* The species is so named because of present the I abdominal stylets.

*Material.* Holotype CSCLRCAB100003, ♀ (Fig. 1a, c, f) housed in (CSCLR), Sanhe, China. Late Albian, Burmese amber, Myanmar.

*Diagnosis.* The main reasons for placing the fossil into the genus are the following characters: I abdominal sternites with 1 pair of stylets which are not ringed; terminal spines of styles short, gonapophysis IX short than urosternote IX.

\* Corresponding author. E-mail: 64870422@qq.com




Fig. 1. (a), studied samples. Left a: CSCLRCAB100001, including female of the specimen *Cretaceobrevibusantennis hookensis* sp. nov., holotype; middle b: CSCLRCAB100002-001, showing male of the specimen *C. hookensis* sp. nov., paratype; right c: CSCLRCAB100003, showing female of the species *C. thornis* sp. nov., holotype. Scale bar = 1mm; (b), set of photographs showing the short antennae of all the three samples; (c), dark-flowing textured areas and eggs. Upper left a: dark-flowing textured areas of CSCLRCAB100001 (inside the dotted line) and the fossil bristletail (simple arrow); below left b: dark-flowing textured areas of CSCLRCAB100003 (inside the dotted line) and the fossil bristletail (simple arrow); upper right c: eggs of CSCLRCAB100001; lower right d: eggs of CSCLRCAB100003.

**Description.** The holotype is complete.

**Head:** Most of the features are the same as *C. hookensis*, sp. nov.. Antennae slightly shorter than the body without scales. Article 1 without triangular process; without hook on article 2 clearly protruding.

**Thorax:** Most of the features are the same as *C. hookensis*, sp. nov..

**Abdomen:** The abdominal vesicles not visible; I with 1 pair of stylets which are not ringed; terminal spines of styles short, length of the stylets/length of the spines=0.25.

**Caudal:** Most of the features are the same as *C. hookensis*, sp. nov.. Length of gonapophysis IX/length of urosternite IX=0.5; length of the cerci/length of body=0.5, length of the cerci/length of coxites IX=0.5.

## Conclusions

The characteristics of the mature fossil bristletails with short antennae may be determined. The increase in the length of the antenna maybe provide the exact fossil evidence for the evolution of bristletails (Fig. 1b). The purpose of the behavior of irritable ovulation of insect is to improve the survival rate, when insects are in danger, and this behavior even affects extant vertebrates and mammals (Fig. 1c).

## Acknowledgements

The authors are obliged to Dr Zeng X.P. (Moscow State University) for the gift of the samples. We also thank Dr Smirnova T.N. (Moscow State University) for helpful comments. This work was supported by the China Geological Survey (Grant No. 12120115054101).